



2x2 TV WALL CONTROLLER 1080P



Description

The 2x2 TV wall controller, support 1-way HDMI input and 4 HDMI output, the main function is to divide a complete HDMI, HD image signal into 4 blocks and assign to 4 video display unit (such as Rear projection unit, LCD TV, etc.), Complete with 4 HDMI high-definition video display units to form a large dynamic image screen.

Features

- * Support 1 HDMI input
- * Support input HDMI1.3
- * Support 4 HDMI outputs
- * Support input 1920x1080P,24/30/50/60HZ, and lower resolution
- * Support output resolution 1920x1080P 60HZ
- * Support multiple splicing modes, easy to operate, plug and play
- * Output 180 °Flip

2X2 TV WALL CONTROLLER

FullHD 1080P

Support modes



1x1




4x1



2x1



3x1



2x2



1x2




1x3




1x4

Physical interface diagram



OUTPUT	→ HDMI Signal Output
INPUT	→ HDMI Signal Input
DC/12	→ 12V1A Power Adaptor Input
IR	→ Remote Receiver
LED	→ Power Light
Audio	→ Audio ON or OFF
Mode	→ Different Mode Switch
	→ Current Mode Screen Order Switch

Remote controller



Operation steps

STEP 1: Connect HDMI source to HDMI input with HDMI cable, connect HDMI output to TVs.

STEP 2: Connect 12V power adaptor.

STEP 3: Set up splicing mode by the MODE button on the unit or remote controller.

The Package includes

- 1. 2X2 tv wall controller x1
- 2. 12V1A Power adapter x1
- 3. User Manual x1
- 4. IR Remote Controller x1

Connection operation

